



N C Department of Labor Elevator Bureau  
1101 Mail Service Center, Raleigh, NC 27699-1101

### INSPECTION REPORT

IMPORTANT: Always use State Number in  
any correspondence relating to your equipment  
[www.nclabor.com/elevator.htm](http://www.nclabor.com/elevator.htm)

Invoice Number  
**557332**

### EQUIPMENT INSPECTED

State Number: 6120	Type of Unit: Passenger	Landings: 4	Manuf: OTIS
Capacity: 4000	Installed: 07/28/1968	Complied: 01/07/1969	Speed: 200
Volts: 208	Floor to Floor: 1 to 4	Entrances: 1	Rope Size: 5/8
Owner: BEAUFORT COUNTY HOSPITAL, 628 E 12TH ST, WASHINGTON, NC, 27889			
Occupant: BEAUFORT COUNTY HOSPITAL, 628 E 12TH ST, WASHINGTON, NC, 27889			

### INSPECTION INFORMATION

Inspection Date 11/17/2008	Type Inspection Routine	Certificate Status Re-issued	Inspector 16 - Moore	County Name BEAUFORT	County Code 7
-------------------------------	----------------------------	---------------------------------	-------------------------	-------------------------	------------------

Violation Abatement Date: 12/17/2008

### VIOLATIONS FOUND

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

- 8.6.4.13.1[h] Properly maintain sills and bottom guides, fastenings, condition, and engagement. Put proper guides on 2nd floor door
- 8.6.4.15 Take steps to place the car emergency telephone in proper working order.

Violations pointed out to: Stan Head of Maintenance

Inspector \_\_\_\_\_

### INVOICE

No other invoice will be issued.  
If not paid within 30 days from date of invoice, your certificate becomes invalid.

Return this stub with payment to: NC Department of Labor, Budget and Purchasing Division,  
1101 Mail Service Center, Raleigh, NC 27699-1101

Owner: BEAUFORT COUNTY HOSPITAL, 628 E 12TH ST, WASHINGTON, NC, 27889  
Occupant: BEAUFORT COUNTY HOSPITAL, 628 E 12TH ST, WASHINGTON, NC, 27889

Invoice Number  
**557332**  
State Nbr: 6120  
Date: 11/17/2008  
Fee: \$200