



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm

Invoice Number
579620

EQUIPMENT INSPECTED

State Number: 10680	Type of Unit: Passenger	Landings: 6	Manuf: ASHEVILLE
Capacity: 2500	Installed: 03/01/1984	Complied: 01/12/2007	Speed: 150
Volts: 208	Floor to Floor: 1 to 6	Entrances: 1	Rope Size:
Owner: AMBICA LLC, PO BOX 2470, CANDLER, NC, 28715			
Occupant: HOLIDAY INN, 435 SMOKEY PARK HWY, ASHEVILLE, NC, 28806			

INSPECTION INFORMATION

Inspection Date 10/10/2008	Type Inspection Routine	Certificate Status Re-issued	Inspector 17 - White	County Name BUNCOMBE	County Code 11 A
-------------------------------	----------------------------	---------------------------------	-------------------------	-------------------------	---------------------

Violation Abatement Date: 11/09/2008

VIOLATIONS FOUND

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

8.6.4.3.1 The lubrication of guide rails shall be in accordance with the requirements on the crosshead data plate where provided.

Violations pointed out to: MICHAEL

Inspector _____

INVOICE

No other invoice will be issued.
If not paid within 30 days from date of invoice, your certificate becomes invalid.

Return this stub with payment to: NC Department of Labor, Budget and Purchasing Division,
1101 Mail Service Center, Raleigh, NC 27699-1101

Owner: AMBICA LLC, PO BOX 2470, CANDLER, NC, 28715
Occupant: HOLIDAY INN, 435 SMOKEY PARK HWY, ASHEVILLE, NC, 28806

Invoice Number
579620

State Nbr: 10680
Date: 10/10/2008
Fee: \$175