

## N C Department of Labor Elevator Bureau 1101 Mail Service Center, Raleigh, NC 27699-1101

## INSPECTION REPORT

IMPORTANT: Always use State Number in any correspondence relating to your equipment www.nclabor.com/elevator.htm 919-707-7927 Report Number 11298-24-2378 State Number 22572

EQUIPMENT INSPECTED					
State Number: 22572 Type of Unit: F Capacity: 2500 Manuf: OTIS Landings: 9 Installed: 04/26 Volts: 208 Complied: 09/1 OWNER		, and the second	Floor to Floor: 1 to 9 Speed: 200 Rope Size: .		
		_		trances: 1	
		OCCUPANT			
21 BATTERY PARK L.L.C.		21 BATTERY PARK CONDOMINIUM			
C/O IPM CORP./ ATTN:ST ARDEN, NC, 28704-0580	EPHANIE CLARK	21 BATTERY PARK ASHEVILLE, NC, 28801			
		NSPECTION INFORMATION			
Inspection Date 10/25/2011	Type Inspection Routine	Certificate Status Re-issued	Inspector 24 - Moore	County BUNCOMBE	11 B
		VIOLATIONS			
2.14.7.4 Protect the car lig	n all Control and operating circuits an hts from accidental contact. Sleeve to gns shall be provided. Damaged or m	abes or provide a solid ceiling.	2 ND NOTICE!!!!!!!!!!!	-	
Items must be corrected by	v: 11/24/2011	Eleva	ator Name: ELEVATOR #	<b>#</b> 1	
Notify the Elevator Bureau in complainace with current code	writing on Corrected Violations Forms.	when the following correction	s have been made in order	to bring your equipment in	to
Violations pointed out to: Step					
THIS IS NOT AN INVOICE	To make changes to the invoice mailing address please call: 919-733-0372				
	21 BATTERY PARK L.L.C. An invoice will be mailed to: C/O IPM CORP./ ATTN:STEPHANIE CLARK ARDEN, NC, 28704-0580				