N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
13067-52-3269
State Number
H2442

EQUIPMENT INSPECTED

State Number: **H2442**
Capacity: 750
Landings: 2
Volts: 230

Type of Unit: Hand Lift
Manuf: GARAVENTA
Installed: 02/21/2013
Complied:

Floor to Floor: 1 to 2
Speed: 30
Rope Size:
Entrances: 2

OWNER
BANNER ELK VISTA PROPERTIES LLC
PO BOX 2074
BANNER ELK, NC, 28604

OCCUPANT
THE VISTAS
325 PENNY LANE
BANNER ELK, NC, 28604

INSPECTION INFORMATION

Inspection Date	Type Inspection	Certificate Status	Inspector	County
03/08/2013	New	Issued	52 - Sosebee	AVERY

6

VIOLATIONS

In Compliance

Elevator Name: 3

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into complainace with current codes.

Violations pointed out to: United Elevator 800-338-0064 Inspector _____

THIS IS NOT AN INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:
BANNER ELK VISTA PROPERTIES LLC
PO BOX 2074
BANNER ELK, NC, 28604