



N C Department of Labor Elevator Bureau  
1101 Mail Service Center, Raleigh, NC 27699-1101

### INSPECTION REPORT

IMPORTANT: Always use State Number in  
any correspondence relating to your equipment  
[www.nclabor.com/elevator.htm](http://www.nclabor.com/elevator.htm)  
919-707-7927

Report Number  
**13095-52-148**  
State Number  
**24096**

#### EQUIPMENT INSPECTED

State Number: <b>24096</b>	Type of Unit: Passenger	Floor to Floor: 1F to 1R
Capacity: 2500	Manuf: SCHINDLER	Speed: 125
Landings: 2	Installed: 06/19/2006	Rope Size: 0
Volts: 208	Complied: 06/19/2006	Entrances: 2
OWNER	OCCUPANT	
GRANDFATHER COUNTRY CLUB	GRANDFATHER COUNTRY CLUB	
2120 HWY.105 NORTH	1225 HWY.105 NORTH	
LINVILLE, NC, 28646	LINVILLE, NC, 28646	

#### INSPECTION INFORMATION

Inspection Date 04/05/2013	Type Inspection Routine	Certificate Status Re-issued	Inspector 52 - Sosebee	County AVERY
-------------------------------	----------------------------	---------------------------------	---------------------------	-----------------

6

#### VIOLATIONS

2.27.1.1.2	Put the in car emergency telephone in proper working order.
8.6.1.7.2	Provide the proper metal tag to the controller for all periodic tests.
8.6.5.16.5	Perform the 5 year full load overspeed valve test.
8.6	Replace missing light covers in elevator. 2nd notice

Items must be corrected by: 05/05/2013

Elevator Name: # 2

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: Grandfather Country Club 828-896-4531

Inspector \_\_\_\_\_

THIS IS NOT AN  
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

GRANDFATHER COUNTRY CLUB  
2120 HWY.105 NORTH  
LINVILLE, NC, 28646