N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
**13121-48-2495**
State Number
**H1944**

## EQUIPMENT INSPECTED

State Number: **H1944**
Capacity: 750
Landings: 2
Volts: 120

Type of Unit: Hand Lift
Manuf: GARAVENTA
Installed: 05/14/2008
Complied:

Floor to Floor: 1 to 2
Speed: 10
Rope Size:
Entrances: 2

OWNER
BRUNSWICK COMMUNITY COLLEGE
50 COLLEGE ROAD
SUPPLY, NC, 28462

OCCUPANT
ODELL WILLIAMSON AUDITORIUM
50 COLLEGE ROAD
SUPPLY, NC, 28462

## INSPECTION INFORMATION

| Inspection Date | Type Inspection | Certificate Status | Inspector | County |
|---|---|---|---|---|
| 05/01/2013 | Routine | Re-issued | 48 - Martin | BRUNSWICK |

10

## VIOLATIONS

n/a No violations found

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into complainace with current codes.

Violations pointed out to: Robert

Inspector _____

THIS IS NOT AN INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:
BRUNSWICK COMMUNITY COLLEGE
50 COLLEGE ROAD
SUPPLY, NC, 28462