



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
14226-36-1596
State Number
13365

EQUIPMENT INSPECTED

State Number: 13365	Type of Unit: Passenger	Floor to Floor: 1 to 2
Capacity: 2000	Manuf: THYSSEN KRUPP	Speed: 100
Landings: 2	Installed: 09/06/1989	Rope Size:
Volts: 460	Complied: 09/08/1989	Entrances: 1
OWNER	OCCUPANT	
BARBEE HOLDINGS LLC	APOLLO CHEMICAL CO	
471 POND ROAD	1105 SOUTHERLAND ST	
BURLINGTON, NC, 27215	GRAHAM, NC, 27253	

INSPECTION INFORMATION

Inspection Date 08/14/2014	Type Inspection Not Inspected	Certificate Status Not Issued	Inspector 36 - Kirkman	County ALAMANCE
-------------------------------	----------------------------------	----------------------------------	---------------------------	--------------------

1

VIOLATIONS

Left elevator notification

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: n/a

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

BARBEE HOLDINGS LLC
471 POND ROAD
BURLINGTON, NC, 27215