



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
15180-60-5510
State Number
4239

EQUIPMENT INSPECTED

State Number: 4239	Type of Unit: Passenger	Floor to Floor: B to 4
Capacity: 4000	Manuf: WESTBROOK	Speed: 250
Landings: 5	Installed: 11/22/1960	Rope Size: 5/8
Volts: 220	Complied: 01/20/1994	Entrances: 1
OWNER	OCCUPANT	
SHAUNCO INC.	OLD CANNON HOSPITAL	
P.O. BOX 732	805 SHANEEHAW AVENUE	
HAZLEHURST, GA, 31539	BANNER ELK, NC, 28604	

INSPECTION INFORMATION

Inspection Date 06/29/2015	Type Inspection Condemned	Certificate Status Not Issued	Inspector 60 - Kircher	County AVERY
-------------------------------	------------------------------	----------------------------------	---------------------------	-----------------

6

VIOLATIONS

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: N/A

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

SHAUNCO INC.
P.O. BOX 732
HAZLEHURST, GA, 31539