



N C Department of Labor Elevator Bureau  
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in  
any correspondence relating to your equipment  
[www.nclabor.com/elevator.htm](http://www.nclabor.com/elevator.htm)  
919-707-7927

Report Number  
**16075-36-3830**  
State Number  
**2031**

EQUIPMENT INSPECTED

State Number: <b>2031</b>	Type of Unit: Passenger	Floor to Floor: 1 to 7
Capacity: 2500	Manuf: SOUTHERN	Speed: 200
Landings: 7	Installed: 09/22/1983	Rope Size: 1/2
Volts: 200	Complied: 08/25/2005	Entrances: 1

OWNER  
BEACON MANAGEMENT  
PO BOX 29229  
GREENSBORO, NC, 27429-9229

OCCUPANT  
ALAMANCE PLAZA  
111 MAPLE AVE  
BURLINGTON, NC, 27215

INSPECTION INFORMATION

Inspection Date 03/15/2016	Type Inspection Routine	Certificate Status Re-issued	Inspector 36 - Kirkman	County ALAMANCE
-------------------------------	----------------------------	---------------------------------	---------------------------	--------------------

1

VIOLATIONS

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: BETTY JONES 336-226-1818

Inspector \_\_\_\_\_

THIS IS NOT AN  
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

BEACON MANAGEMENT  
PO BOX 29229  
GREENSBORO, NC, 27429-9229