



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
16355-73-4697
State Number
21423

EQUIPMENT INSPECTED

State Number: 21423	Type of Unit: Passenger	Floor to Floor: 1 to 2
Capacity: 2500	Manuf: THYSSEN KRUPP	Speed: 75
Landings: 2	Installed: 01/21/2003	Rope Size: 0
Volts: 208	Complied: 01/21/2003	Entrances: 2
OWNER	OCCUPANT	
S.POWEL .INC.	GREGORY BUILDING	
1635 NOVA LANE	154 HUFFMAN MILL ROAD	
BURLINGTON, NC, 27215	BURLINGTON, NC, 27215	

INSPECTION INFORMATION

Inspection Date 12/20/2016	Type Inspection Not Inspected	Certificate Status Not Issued	Inspector 73 - James	County ALAMANCE
-------------------------------	----------------------------------	----------------------------------	-------------------------	--------------------

1

VIOLATIONS

2.7.3.4.1(b)	Provide a self closing, self locking machine room door.
8.6	Perform annual pressure test
8.6	Machine room not to be used as storage
8.6	Provide in daste fire exstinguisher in machine room

Items must be corrected by: 02/20/2017

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into complainace with current codes.

Violations pointed out to: Carl

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

S.POWEL .INC.
1635 NOVA LANE
BURLINGTON, NC, 27215