



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
17024-73-4955
State Number
8879

EQUIPMENT INSPECTED

State Number: 8879	Type of Unit: Passenger	Floor to Floor: 1 to 4
Capacity: 2000	Manuf: SOUTHERN	Speed: 125
Landings: 4	Installed: 01/25/1978	Rope Size:
Volts: 208	Complied: 02/03/1978	Entrances: 2
OWNER	OCCUPANT	
FRONT ST METHODIST CHURCH	FRONT ST METHODIST CHURCH	
PO BOX 2597	136 S FISHER ST	
BURLINGTON, NC, 27216	BURLINGTON, NC, 27215	

INSPECTION INFORMATION

Inspection Date 01/24/2017	Type Inspection Routine	Certificate Status Re-issued	Inspector 73 - James	County ALAMANCE
-------------------------------	----------------------------	---------------------------------	-------------------------	--------------------

1

VIOLATIONS

8.6	Provide proper class abc fire exstinguisher
8.6	Make stop switch inside casr work properly

Items must be corrected by: 02/23/2017

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into complainace with current codes.

Violations pointed out to: Jackie Long

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

FRONT ST METHODIST CHURCH
PO BOX 2597
BURLINGTON, NC, 27216