



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
17067-66-172
State Number
4098

EQUIPMENT INSPECTED

State Number: 4098	Type of Unit: Freight	Floor to Floor: B to 2
Capacity: 4000	Manuf: PARK	Speed: 50
Landings: 3	Installed: 06/29/1959	Rope Size: 0
Volts: 550	Complied: 03/10/1997	Entrances: 2
OWNER	OCCUPANT	
SCHNEIDER MILLS	SCHNEIDER MILLS	
P.O. BOX 519	1170 HWY16 NORTH	
TAYLORSVILLE, NC, 28681	TAYLORSVILLE, NC, 28681	

INSPECTION INFORMATION

Inspection Date 03/08/2017	Type Inspection Routine	Certificate Status Re-issued	Inspector 66 - Pacitti	County ALEXANDER
-------------------------------	----------------------------	---------------------------------	---------------------------	---------------------

2

VIOLATIONS

8.6.1.6.5	Provide a class ABC fire extinguisher in machinery space.
8.6.4.9	Clean the elevator car top.
8.6.4.9	Clean the elevator car top.
NOTE	FIX CAR GATE CABLE NOT ON SHEAVE LEFT SIDE LOOKING IN
NOTE	FIX IN CAR LIGHT SWITCH

Items must be corrected by: 06/01/2017

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: RUFUS W. 828-632-8181

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

SCHNEIDER MILLS
P.O. BOX 519
TAYLORSVILLE, NC, 28681