



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
18010-48-4445
State Number
H1506

EQUIPMENT INSPECTED

State Number: H1506	Type of Unit: Hand Lift	Floor to Floor: 1 to 2
Capacity: 750	Manuf: SAVARIA	Speed: 25
Landings: 2	Installed: 03/22/2005	Rope Size:
Volts: 110	Complied: 03/22/2005	Entrances: 2
OWNER	OCCUPANT	
BLADEN CO. SCHOOLS	WEST BLADEN HS PB#4	
PO BOX 2519	1600 NC HWY 410	
ELIZABETHTOWN, NC, 28337	BLADENBORO, NC, 28320	

INSPECTION INFORMATION

Inspection Date 01/10/2018	Type Inspection Routine	Certificate Status Re-issued	Inspector 48 - Martin	County BLADEN
-------------------------------	----------------------------	---------------------------------	--------------------------	------------------

9

VIOLATIONS

N/A TOP FL RUN BUTTONS INOPERATIVE [ASAP]

Items must be corrected by: 01/20/2018

Elevator Name: # 3

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: MGMT.

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

BLADEN CO. SCHOOLS
PO BOX 2519
ELIZABETHTOWN, NC, 28337