



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
18045-73-0718
State Number
11065

EQUIPMENT INSPECTED

State Number: **11065**

Capacity: 2100

Landings: 2

Volts: 480

OWNER

ALAMANCE CO

124 W ELM ST

GRAHAM, NC, 27253

Type of Unit: Passenger

Manuf: THYSSEN KRUPP

Installed: 01/15/1985

Complied: 01/15/1985

OCCUPANT

HUMAN SERVICES FACILITIES

319 N GRAHAM / HOPEDALE RD

BURLINGTON, NC, 27217

Floor to Floor: G to 1

Speed: 125

Rope Size:

Entrances: 1

INSPECTION INFORMATION

Inspection Date
02/14/2018

Type Inspection
Routine

Certificate Status
Re-issued

Inspector
73 - James

County
ALAMANCE

1

VIOLATIONS

- 2.27.1.1.1 Place the in-car Emergency Phone in working order.
2.7.3.4.1 Provide a self closing self-locking machine room / space door.

Items must be corrected by: 03/16/2018

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: Joel Brookes 3365706750

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

ALAMANCE CO
124 W ELM ST
GRAHAM, NC, 27253