N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
9266-36-1677
State Number
27172

EQUIPMENT INSPECTED

State Number: **27172**
Capacity: 2500
Landings: 3
Volts: 460

Type of Unit: Passenger
Manuf: TKE
Installed: 09/23/2009
Complied: 09/23/2009

Floor to Floor: 1 to 3
Speed: 150
Rope Size:
Entrances: 1

OWNER
HOSPICE & PALLIATIVE CARE CENTER
918 CHAPEL HILL ROAD
BURLINGTON, NC, 27215

OCCUPANT
HOSPICE & PALLIATIVE CARE CENTER
918 CHAPEL HILL ROAD
BURLINGTON, NC, 27215

INSPECTION INFORMATION

Inspection Date	Type Inspection	Certificate Status	Inspector	County
09/23/2009	New	Issued	36 - Kirkman	ALAMANCE

1

VIOLATIONS

This unit is in compliance this date 9-23-2009

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into complainace with current codes.

Violations pointed out to: Gary Y.

Inspector _____

THIS IS NOT AN INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:
HOSPICE & PALLIATIVE CARE CENTER
918 CHAPEL HILL ROAD
BURLINGTON, NC, 27215