



N C Department of Labor Elevator Bureau
1101 Mail Service Center, Raleigh, NC 27699-1101

INSPECTION REPORT

IMPORTANT: Always use State Number in
any correspondence relating to your equipment
www.nclabor.com/elevator.htm
919-707-7927

Report Number
9302-24-3992
State Number
23383

EQUIPMENT INSPECTED

State Number: 23383	Type of Unit: Passenger	Floor to Floor: B to 3
Capacity: 2500	Manuf: OTIS	Speed: 125
Landings: 3	Installed: 01/26/2007	Rope Size: 0
Volts: 208	Complied:	Entrances: 2
OWNER 21 BATTERY PARK, LLC C/O IPM CORP./ATTN: TAMMY JONES ARDEN, NC, 28704-0580		OCCUPANT 21 BATTERY PARK CONDOS 21 BATTERY PARK AVE ASHEVILLE, NC, 28801

INSPECTION INFORMATION

Inspection Date 10/29/2009	Type Inspection Routine	Certificate Status Re-issued	Inspector 24 - Moore	County BUNCOMBE	11 B
-------------------------------	----------------------------	---------------------------------	-------------------------	--------------------	------

VIOLATIONS

- 8.6.10.1 Update the monthly fire service log.
- 2.2.5.1 Put the pit lights in proper working order. One bulb out. 2ND NOTICE !!!!!
- 8.6.1.2.1 Provide a written maintenance program. Locate a sign on the controller for location and reporting defects.

Items must be corrected by: 11/28/2009

Elevator Name: ELEVATOR # 3

Notify the Elevator Bureau in writing on Corrected Violations Form when the following corrections have been made in order to bring your equipment into compliance with current codes.

Violations pointed out to: Mailed to IPM

Inspector _____

THIS IS NOT AN
INVOICE

To make changes to the invoice mailing address please call: 919-733-0372

An invoice will be mailed to:

21 BATTERY PARK, LLC
C/O IPM CORP./ATTN: TAMMY JONES
ARDEN, NC, 28704-0580